


6_Segno filo muro Technical specifications

1. Aluminum door frame profile
2. Glass on two sides, 0,5 cm thick.
Wood/lacquered panel 4,8 cm thick.
Glass panel weight cm 27 kg/m².
Wood panel weight 16 kg/m².
3. Handle




The Segno door price includes the lock.

The cost of the flush frame for masonry or plasterboard must be calculated separately (see page 199).

Handle not included.

Maximum height and width dimensions



Available finishes

Frame profiles

AL31 Anodized Aluminium
 AL32 Polished chrome
 AL34 Satin steel
 LC01 Lacquer Bianco
 LC02 Lacquer Nero
 LC12 Lacquer Panna
 LC14 Lacquer Caffè
 LC15 Lacquer Lino
 LC16 Lacquer Tortora
 RAL Lacquered

Wood panel / Lacquered

LE27 Bleached oak
 LE28 Wengè-stained oak
 LE29 Teak
 LE31 Smoked Chestnut
 LE32 Black Walnut
 LE33 European Walnut
 LE34 Grey stained oak
 LC01 Lacquer Bianco
 LC02 Lacquer Nero
 LC12 Lacquer Panna
 LC14 Lacquer Caffè
 LC15 Lacquer Lino
 LC16 Lacquer Tortora
 RAL Lacquered

GR Raw woth primer

Polished double-sided glasses

SR30 Bianco
 SR31 Lino
 SR32 Ardesia
 SR44 Nero
 SR50 Tortora
 SR51 Castagna
 RAL Colours

Cristalli bifacciali acidati

AR30 Bianco acidato
 AR31 Lino acidato
 AR32 Ardesia acidato
 AR44 Nero acidato
 AR50 Tortora acidato
 AR51 Castagna acidato
 Colore RAL


Mirror

SP01 Clear mirror
 SP21 Fumè mirror
 SP22 Bronzo mirror

**1 wood side (LE, LC), 1 glass side
 1 wood side (LE, LC), 1 mirror side
 1 glass side, 1 mirror side**


6_Segno filo muro Technical specifications

1. Aluminum door frame profile
2. Glass thickness 0,5 cm.
Glass thickness 0,6 cm.
Door weight with 0,5 cm glass 16,5 kg/m².
Door weight with 0,6 cm glass 19 kg/m².
3. Lock / handle plate



The Segno door price includes the lock with the cover plate in the same finish as the frame.
The cost of the flush frame for masonry or plasterboard must be calculated separately (see page 199).
 Handle not included.

Maximum height and width dimensions



Available finishes

Frame profiles

- AL31 Anodized Aluminium
- AL32 Polished Chrome
- AL34 Satin Steel
- LC01 Lacquer Bianco
- LC02 Lacquer Nero
- LC12 Lacquer Panna
- LC14 Lacquer Caffè
- LC15 Lacquer Lino
- LC16 Lacquer Tortora
- RAL Lacquered

Laminated glasses

- SP01 Double sided Clear mirror
- SP21 Double sided Fumè mirror
- SP22 Double sided Bronzo mirror
- ST01 Bianco Latte

Etched glasses

- VA01 Neutral etched
- VAEX01 Extralight etched
- VA21 Etched Fumè
- VA22 Etched Bronzo

Transparent glasses

- CR20 Transparent
- CREX20 Trasparent Extralight
- CR21 Fumè
- CR22 Bronzo

Polished double-sided glasses

- SR30 Bianco
- SR31 Lino
- SR32 Ardesia
- SR44 Nero
- SR50 Tortora
- SR51 Castagna
- RAL colours

Reflective glasses


- RIFM Reflective Marrone
- RIFG Reflective Grigio
- RIFB Reflective Bronzo
- RIF20 Reflective Transparent

6_Segno filo muro Dimensions


H 210,3 cm

H 240,3 cm


H 270,3 cm




W 72 cm



W 82 cm




W 92 cm




To calculate the measurements of the push or pull door with the walled-in frame without a crosspiece (when the door is flush with the ceiling):

height = measurement of the clear passage - 1 cm
width = measurement of the clear passage + 2 cm




Opening


LEFT - push




RIGHT - push



LEFT - pull



RIGHT - pull




6_Segno filo muro Double hinged door dimensions


Double hinged door opening

Segno flush door
Segno flush door frame profile


LEFT - push





RIGHT - push



LEFT - pull




RIGHT - pull




Segno without door profile


LEFT - push




RIGHT - push



LEFT - pull



RIGHT - pull



Calculation for plasterboard structure pre-installation:


Both for push and pull frames:

Height = measurement of net gap + 5,5 cm

Width = measurement of net gap + 10,5 cm

Example for a door with frame gaps of W 80 cm x H 240 cm:

Unfinished door space W 90,5 cm x H 245,5 cm



Calculation for masonry pre-installation:

Both for push and pull frames:

Height = measurement of net gap + 6 cm

Width = measurement of net gap + 12 cm

Example for a door with frame gaps of W 80 cm x H 240 cm:

Unfinished door space W 92 cm x H 246 cm

